



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: GOOD LUCK LIQUOR	BUSINESS PHONE: (559) 992-2316	RECORD ID#: PR0000133	DATE: January 26, 2012
FACILITY SITE ADDRESS: 1049 CHITTENDEN AVE	CITY: CORCORAN	ZIP CODE: 93212	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: GULSHAN FARISHTA	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Employee restroom was noted well stocked.

Walk-in refrigeration unit was measured at 39°F.

General retail sales area is in satisfactory condition.

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Troy Hommerding-REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: GOOD LUCK LIQUOR	BUSINESS PHONE: (559) 992-2316	RECORD ID#: PR0000133	DATE: July 18, 2011
FACILITY SITE ADDRESS: 1049 CHITTENDEN AVE	CITY: CORCORAN	ZIP CODE: 93212	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: GULSHAN FARISHTA	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Lee Johnson - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER CLEANING OF UTENSILS AND EQUIPMENT [HSC 114095-114099.5 & 114101-114119]

Description/Corrective Action: Please clean the microwave to remove accumulated debris.

General Comments:

Cleanliness of this store was noted to be much improved compared to the past. No hot holding is occurring. All cold temperatures checked today were below 41F.

Thank you.

RESULTS OF EVALUATION: <input checked="" type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Reinspection Date (on or after): N/A <input type="checkbox"/> Potential Food Safety All Star:
---	--

Reisman

Received By:

Lee Johnson - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: GOOD LUCK LIQUOR	BUSINESS PHONE: (559) 992-2316	RECORD ID#: PR0000133	DATE: November 16, 2010
FACILITY SITE ADDRESS: 1049 CHITTENDEN AVE	CITY: CORCORAN	ZIP CODE: 93212	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: GULSHAN FARISHTA	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Employee restroom is stocked.

Refrigeration temperatures were measured below 41°F.

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Troy Hommerding-REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request