



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> PIONEER ELEMENTARY SCHOOL	<b>BUSINESS PHONE:</b> (559) 584-8831Ext. 1610	<b>RECORD ID#:</b> PR0000631	<b>DATE:</b> December 02, 2011
<b>FACILITY SITE ADDRESS:</b> 8810 14TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PIONEER ELEMENTARY SCH00L	<b>CERTIFIED FOOD HANDLER:</b> MARCIE Q CLEMENT	<b>EXP DATE:</b> 10/24/2014	<b>INSPECTOR:</b> Luis Flores

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Violation:** IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

**Description/Corrective Action:** Rodent droppings were observed on floor surface areas beneath wire rack shelving of the storage room. Have the droppings cleaned out.

Glue traps are being utilized at this time for rodent control purposes. The facility manager revealed three rodents were found caught this past Monday morning by the traps.

An inspection of the cafeteria kitchen's back entry door-sweep is damaged and a likely source of rodent access. Have the door-sweep replaced ASAP.

**General Comments:**

Overall, the food facility appeared in satisfactory operational condition.

Daily food temperature logging is performed. All hot and cold food temperatures monitored and/or observed met food code requirements.

<b>RESULTS OF EVALUATION:</b> <input checked="" type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	<b>Reinspection Required:</b> Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
	<b>Reinspection Date (on or after):</b> <u>          N/A          </u> <input checked="" type="checkbox"/> Potential Food Safety All Star:

*Mary Breshers*

Received By:

*Luis Flores*

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> PIONEER ELEMENTARY SCHOOL	<b>BUSINESS PHONE:</b> (559) 584-8831Ext. 1610	<b>RECORD ID#:</b> PR0000631	<b>DATE:</b> May 17, 2011
<b>FACILITY SITE ADDRESS:</b> 8810 14TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PIONEER ELEMENTARY SCH00L	<b>CERTIFIED FOOD HANDLER:</b> MARCIE Q CLEMENT	<b>EXP DATE:</b> 10/24/2014	<b>INSPECTOR:</b> Susan Lee-Yang - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Today's menu included: grilled cheese sandwich (noted at 147°F), fries, cookie, salad bar, and milk.

All cold holding units were noted below 41°F.

Chicken and ham on the salad bar were noted satisfactory.

Chlorine sanitizer for dishwasher was noted at 100 ppm.

Hand wash station and restroom had soap and paper towels.

Observed temperature logs up-to-date.

Thank you!

<b>RESULTS OF EVALUATION:</b> <input checked="" type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	<b>Reinspection Required:</b> Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
	<b>Reinspection Date (on or after):</b> <u>          N/A          </u> <input checked="" type="checkbox"/> Potential Food Safety All Star:

*Mary Brooks*

Received By: \_\_\_\_\_

*Susan Lee-Yang - REHS*

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> PIONEER ELEMENTARY SCHOOL	<b>BUSINESS PHONE:</b> (559) 584-8831Ext. 1610	<b>RECORD ID#:</b> PR0000631	<b>DATE:</b> December 10, 2010
<b>FACILITY SITE ADDRESS:</b> 8810 14TH AVE	<b>CITY:</b> HANFORD	<b>ZIP CODE:</b> 93230	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> PIONEER ELEMENTARY SCH00L	<b>CERTIFIED FOOD HANDLER:</b> MARY E BRESHEARS	<b>EXP DATE:</b> 9/27/2011	<b>INSPECTOR:</b> Yatee Patel - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

All cold holding units, including salad bars measured between 36-41° F.

Hot food - pizza - ok.

Sanitizer machine measured 100 ppm of Cl.

Facility is in excellent condition.

Temperature logs were complete.

Thank you.

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

*Mary Breshears*

Received By:

*Yatee Patel - REHS*

Agency Representative

NOTE: This report must be made available to the public on request