



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> ARMONA UNION ELEMENTARY SCHOOL	<b>BUSINESS PHONE:</b> (559) 583-5019	<b>RECORD ID#:</b> PR0003429	<b>DATE:</b> September 09, 2009
<b>FACILITY SITE ADDRESS:</b> 14045 PIMO ST	<b>CITY:</b> ARMONA	<b>ZIP CODE:</b> 93202	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> ARMONA UNION ELEMENTARY SCHOOL DISTRICT	<b>CERTIFIED FOOD HANDLER:</b> PENNY LAMB	<b>EXP DATE:</b> 1/22/2010	<b>INSPECTOR:</b> Veronica Santa Cruz

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER CLEANING OF UTENSILS AND EQUIPMENT [HSC 114095-114099.5 & 114101-114119]

Description/Corrective Action: Quat Sanitizer in two compartment sink measured at 100 ppm. Quat sanitizer needs to measure at 200 ppm. Currently, facility is washing all dishware manually because the dishwasher is not functioning.

General Comments:

Handwash station was stocked with soap, paper towels, and hot water. All cold holding units measured below 41°F. Fajitas ,beans, and rice measured way above 135°F on the steam table. Facility has up to date food temperature logs.

RESULTS OF EVALUATION: [X] PASS [ ] NEEDS IMPROVEMENT [ ] FAIL

Reinspection Required: Yes: [ ] No: [X]

Reinspection Date (on or after): N/A

[X] Potential Food Safety All Star:

Julicia Bass

Veronica Santa Cruz

Received By:

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> ARMONA UNION ELEMENTARY SCHOOL DISTRICT	<b>BUSINESS PHONE:</b> (559) 583-5000	<b>RECORD ID#:</b> PR0003429	<b>DATE:</b> March 03, 2009
<b>FACILITY SITE ADDRESS:</b> 14045 PIMO ST	<b>CITY:</b> ARMONA	<b>ZIP CODE:</b> 93202	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> ARMONA UNION ELEMENTARY SCHOOL DISTRICT	<b>CERTIFIED FOOD HANDLER:</b> PENNY LAMB	<b>EXP DATE:</b> 1/22/2010	<b>INSPECTOR:</b> Susan Lee-Yang - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

**Violation:** IMPROPER CLEANING OF UTENSILS AND EQUIPMENT [HSC 114095-114099.5 & 114101-114119]

**Description/Corrective Action:** Observed dishwasher without sanitizer.  
Please call for service and make sure dishwasher is dispensing sanitizer properly.  
Furthermore, use test strips on a routine basis to make sure dishwasher is working properly.  
In the meantime, please use two compartment sink with chlorine to properly sanitize all dishes and equipments until dishwasher's sanitizer is repaired.

**Violation:** IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

**Description/Corrective Action:** Observed pipe under dishwasher leaking water.  
Please repair/replace pipe to prevent water leak.

**General Comments:**

Observed hand wash station fully stocked with soap and paper towels.

Today's menu consisted of pizza (measured at 147°F), corn (measured at 140°F), crackers, apples, and milk.

Milk crate measured at 36°F.

Walk-in refrigerator measured at 38°F.

Observed operators taking and documenting food temperatures.

Please have all violations corrected by next routine inspection to avoid further enforcements.

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

<b>FACILITY NAME:</b> ARMONA ELEMENTARY SCHOOL	<b>BUSINESS PHONE:</b> (559) 583-5019	<b>RECORD ID#:</b> PR0003429	<b>DATE:</b> September 25, 2008
<b>FACILITY SITE ADDRESS:</b> 14045 PIMO ST	<b>CITY:</b> ARMONA	<b>ZIP CODE:</b> 93202	<b>INSPECTION TYPE:</b> ROUTINE INSPECTION
<b>OWNER NAME:</b> ARMONA ELEMENTARY SCHOOL	<b>CERTIFIED FOOD HANDLER:</b> PENNY LAMB	<b>EXP DATE:</b> 1/22/2010	<b>INSPECTOR:</b> Susan Lee-Yang

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

- Observed hand wash station stocked with soap and paper towels.
- Walk-in refrigerator measured at 41° F.
- All hot potentially hazardous foods (chicken, broccoli, rice) measured at or above 135° F.
- Chicken in both warming units measured above 135° F.
- Observed employee taking food temperatures with digital thermometer, good.
- Observed all food staff wearing hair nets.
- Temperature logs are accurate and up-to-date.
- Facility is in good operating condition.

RESULTS OF EVALUATION:  PASS  NEEDS IMPROVEMENT  FAIL

Reinspection Required: Yes:  No:

Reinspection Date (on or after):           N/A          

Potential Food Safety All Star:

*Delicia Bass*

*Susan Lee-Yang*

Received By: \_\_\_\_\_

Environmental Health Specialist

NOTE: This report must be made available to the public on request