



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: BEST MART	BUSINESS PHONE: (559) 386-0561	RECORD ID#: PR0006275	DATE: December 05, 2011
FACILITY SITE ADDRESS: 121 KING ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: WASIL ABDUL QUDUS	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Employee restroom was noted fully stocked.

All cold holding temperatures were at or below 41°F.

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Troy Hommerding-REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: BEST MART	BUSINESS PHONE: (559) 386-0561	RECORD ID#: PR0006275	DATE: June 30, 2011
FACILITY SITE ADDRESS: 121 KING ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: 1ST FOLLOW UP INSPECTION
OWNER NAME: WASIL ABDUL QUDUS	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

A new water heater was installed, Rodent poison was removed, and the employee restroom hand wash Sink was restocked.

Thank you!

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Received By:

Troy Hommerding-REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: BEST MART	BUSINESS PHONE: (559) 386-0561	RECORD ID#: PR0006275	DATE: June 30, 2011
FACILITY SITE ADDRESS: 121 KING ST	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: WASIL ABDUL QUDUS	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Troy Hommerding-REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

Description/Corrective Action: Water heater does not function properly, this facility does not have hot water for handwashing in the employee restroom. This facility stated the water heater was noted leaking water three weeks ago. At this time you must repair or replace the water heater immediately. The operator state it will be replaced today by 4:00 PM. If the water heater is not functional by 4:00 PM the store will be closed. Please check with the Avenal Building Department for permit requirements before installing the new water heater.

Violation: IMPROPER USE OR STORAGE OF TOXIC MATERIALS [HSC 114254-114254.3]

Description/Corrective Action: Poison rodent pelets were noted being used inside this facility. Please remove poison rodent pelets and use sticky traps for rodent control.

Violation: IMPROPER MAINTENANCE OF HANDWASH FACILITIES [HSC 113953 - 113593.2]

Description/Corrective Action: Employee restroom lacked paper towels and handsoap, please relplace.

General Comments:

This facility does not have a functional water heater, therefore this facility does not have hot water for proper handwashing in the employee restroom. The building owner stated he will have this repaired by 4:00 PM today.

If this is not repaired by 4:00 PM, this facility will be closed until the water heater is repaired. Currently this store only sells prepackaged food items, canned & bottled water and sodas, milk, eggs, as no food preparation takes place at this facility.

A re-inspection will take place today at 4:00 PM to verify the water heater has been replaced.

RESULTS OF EVALUATION: <input type="checkbox"/> PASS <input type="checkbox"/> NEEDS IMPROVEMENT <input checked="" type="checkbox"/> FAIL	Reinspection Required: Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
	Reinspection Date (on or after): <u>6/30/2011</u> <input type="checkbox"/> Potential Food Safety All Star:

Troy Hommerding-REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request