



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: November 08, 2011
FACILITY SITE ADDRESS: 255 E KINGS	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: ROUTINE INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD HANDLER: YVETTE AVALOS	EXP DATE: 6/14/2014	INSPECTOR: Lee Johnson - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

Description/Corrective Action: One ceiling light fixture above the prep line is loose and close to falling. Please repair so that the fixture is secure.

Violation: RESTROOM FACILITIES NOT MAINTAINED [HSC 114250 & 114276]

Description/Corrective Action: No hot water was available in the restroom (the valve had apparently been closed). Hot water must be provided to all sinks at all times.

Violation: IMPROPER COLD HOLDING TEMPERATURE(S) [HSC 113996]

Description/Corrective Action: Temperatures in the cold prep case ranged from 45F on the left side of the line to 53F on the right side of the line. Morning QA temps were all below 41F. Please adjust the units and monitor to insure all cold potentially hazardous foods are held at 41F or less at all times.

General Comments:

Except as noted above all temperatures checked today were satisfactory and hand sinks were fully stocked. Temperatures are logged on QA logs by staff twice daily.

Thank you.

RESULTS OF EVALUATION: <input type="checkbox"/> PASS <input checked="" type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
	Reinspection Date (on or after): <u> N/A </u> <input type="checkbox"/> Potential Food Safety All Star:

Yvette Avalos

Received By: _____

Lee Johnson - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: June 13, 2011
FACILITY SITE ADDRESS: 255 E KINGS	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: 2ND+ FOLLOWUP INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Lee Johnson - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: RESTROOM FACILITIES NOT MAINTAINED [HSC 114250 & 114276]

Description/Corrective Action: No paper towels were available in the restroom dispenser. Please provide.

General Comments:

The leak in the ceiling has been repaired and the ceiling has been patched. Thank you.

Please provide evidence of food safety manager certification to our office within 30 days.

The ice maker is broken and must be repaired.

RESULTS OF EVALUATION: <input type="checkbox"/> PASS <input checked="" type="checkbox"/> NEEDS IMPROVEMENT <input type="checkbox"/> FAIL	Reinspection Required: Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
	Reinspection Date (on or after): <u> N/A </u>
	<input type="checkbox"/> Potential Food Safety All Star:

Arneet K Singh

Received By: _____

Lee Johnson - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/health/ehs

FOOD SAFETY EVALUATION REPORT

FACILITY NAME: SANDHU AVENAL INC. (SUBWAY-AVENAL)	BUSINESS PHONE: (559) 386-9556	RECORD ID#: PR0005207	DATE: May 16, 2011
FACILITY SITE ADDRESS: 255 E KINGS	CITY: AVENAL	ZIP CODE: 93204	INSPECTION TYPE: 1ST FOLLOW UP INSPECTION
OWNER NAME: MANINDER SANDHU	CERTIFIED FOOD HANDLER: Not Specified	EXP DATE:	INSPECTOR: Lee Johnson - REHS

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation. One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT [HSC 114161-114182 & 114257]

Description/Corrective Action: The ceiling leak was noted to be improved (leaking less) but still not repaired. Leak must be stopped completely & ceiling repaired.

Violation: IMPROPER MAINTENANCE OF HANDWASH FACILITIES [HSC 113953 - 113593.2]

Description/Corrective Action: Please install paper towels in the dispenser provided, rather than on top of the dispenser. Please provide liquid hand soap to the rear hand sink (2nd notice).

General Comments:

Othe issues noted previously have been corrected.

The facility was noted to be hot during inspection (customer commented also). Adjust temperature to increase worker comfort and decrease potential for contamination of food by perspiration.

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): 5/30/2011

Potential Food Safety All Star:

Lee Johnson - REHS

Received By:

Agency Representative

NOTE: This report must be made available to the public on request