



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

| | | | |
|--|---|---------------------------------|---|
| FACILITY NAME: REEF SUNSET MIDDLE SCHOOL | BUSINESS PHONE: (559) 386-4128 | RECORD ID#: PR0008968 | DATE: October 04, 2019 |
| FACILITY SITE ADDRESS: 608 N FIRST AVE | CITY: AVENAL | ZIP CODE: 93204 | INSPECTION TYPE: ROUTINE INSPECTION |
| OWNER NAME: REEF SUNSET MIDDLE SCHOOL | CERTIFIED FOOD MANAGER: Karen Hernandez | EXP DATE: 5/28/2021 | INSPECTOR: Liliana Stransky - REHS |

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: None Noted

General Comments:

Routine inspection -

* The hand washing sink had soap and paper towels, but the hot water was only lukewarm. The water should be at least 100F. Please adjust the temperature for the sink.

* The chicken sandwiches were observed at 137F, and all refrigeration temperatures were noted below 41F.

* Student helpers were observed wearing gloves, hairnets and aprons when serving lunch.

* Overall the facility was noted well maintained. Please keep the back door closed at all times to prevent pests from getting inside.

Thank you!

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Received By:

Liliana Stransky - REHS

Agency Representative

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

| | | | |
|--|---|---------------------------------|---|
| FACILITY NAME: REEF-SUNSET MIDDLE SCHOOL | BUSINESS PHONE: (559) 386-9083Ext. 1095 | RECORD ID#: PR0000565 | DATE: December 11, 2018 |
| FACILITY SITE ADDRESS: 608 N FIRST ST | CITY: AVENAL | ZIP CODE: 93204 | INSPECTION TYPE: ROUTINE INSPECTION |
| OWNER NAME: REEF-SUNSET USD | CERTIFIED FOOD MANAGER: Karen Ayon | EXP DATE: 5/28/2021 | INSPECTOR: Troy Hommerding-REHS |

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

Violation: IMPROPER MAINTENANCE OF FACILITY OR EQUIPMENT

[HSC 114161-114182 & 114257]

Description/Corrective Action:

The UV fly light over the wood table cutting board was not functional. Staff indicated a roof leak is causing water intrusion into the building; therefore, the UV fly light was disconnected from power. Further observations included water in one of the bulk storage bins located directly underneath the wood table cutting board. Items inside the bin were observed with visible mold growth (wood rolling pin & cloth back brace). Please remove all moldy items and thoroughly clean and sanitize the bin. Visible mold growth was additionally observed on the wood table cutting board. If the wood table cutting board is to be kept in the facility, the wood must be thoroughly cleaned and sanitized before using as a food prep area. Digital photographs were taken of the area and some items in the bin.

Staff did start cleaning the bulk storage bin.

The roof must be immediately repaired.

The kitchen hand wash sink cold water faucet was observed dripping water.

The Fisher hose reel wash nozzle leaks water when used causing water to spray other than the direction intended.

General Comments:

All cold holding temperatures were measured below 41°F. Hot holding temperatures were measured at at or above 135°F, Corn 174°F, Chili 142°F.

Employee restroom was properly stocked today. Kitchen hand wash sink was observed properly stocked.

Student lunch service helpers and kitchen staff were observed practicing proper hand washing techniques and donning proper hair restraints and food grade gloves before starting lunch service.

The facility is using a digital thermometer to log cooking and hot & cold holding temperatures daily.

Except for the roof leak, the kitchen was observed well kept. Please repair the roof leak immediately.

NOTE: This report must be made available to the public on request



County of Kings - Department of Public Health

Environmental Health Services Division

330 Campus Drive Hanford, CA 93230

Phone - 559-584-1411 Fax - 559-584-6040

Internet - www.countyofkings.com/ehs

FOOD SAFETY EVALUATION REPORT

| | | | |
|--|---|---------------------------------|---|
| FACILITY NAME: REEF-SUNSET MIDDLE SCHOOL | BUSINESS PHONE: (559) 386-9083Ext. 1095 | RECORD ID#: PR0000565 | DATE: December 11, 2018 |
| FACILITY SITE ADDRESS: 608 N FIRST ST | CITY: AVENAL | ZIP CODE: 93204 | INSPECTION TYPE: ROUTINE INSPECTION |
| OWNER NAME: REEF-SUNSET USD | CERTIFIED FOOD MANAGER: Karen Ayon | EXP DATE: 5/28/2021 | INSPECTOR: Troy Hommerding-REHS |

The items (if any) listed below identify the violation(s) that must be corrected. Thank you for your cooperation.
One reinspection will be conducted (if needed) at no charge. A service fee is assessed for each additional reinspection required.

RESULTS OF EVALUATION: PASS NEEDS IMPROVEMENT FAIL

Reinspection Required: Yes: No:

Reinspection Date (on or after): N/A

Potential Food Safety All Star:

Received By:

Troy Hommerding-REHS

Agency Representative

NOTE: This report must be made available to the public on request